

# **BID OPPORTUNITY**

PROJECT: 5 Eastview Drive, St Charles, MO

Habitat for Humanity of St. Charles County (HFHSCC) is pleased to announce that we have bid opportunities available for one single family home beginning in April, 2022 located at 5 Eastview Drive, St Charles, MO 63301.

HFHSCC is a not-for-profit ecumenical Christian housing ministry working in partnership with low-income families to improve their living conditions. Our families <u>earn</u> an opportunity to <u>purchase</u> a lower cost home due to generous donors who contribute money, services, building materials, and volunteer labor hours.

While our volunteers and partner families contribute valuable labor hours to each project, HFHSCC requires the specialized services of vendors to perform professional work. This typically includes plumbing, HVAC, electrical, concrete, sewer, drywall taping, and roofing for our projects. We also offer bid opportunities for local suppliers.

Bids may be calculated in the same manner as with any other projects.

- You will not be provided with nor required to install used materials.
- You will not be provided with or required to use volunteer labor.

Because HFHSCC relies on the donation of both funds and labor resources, many factors are considered when determining the winning bid. In addition to price and references, a willingness to consider one (or more) of the following may also be included in the award process:

- Early payment discount options for terms less than Net 30.
- Tax deductible donation of any/all materials or labor clearly identified on the bid submittal.
- Willingness to be flexible with scheduling.

As we build our partnerships, HFHSCC will include successful bidders in promotion and recognition when possible via:

- Jobsite & ReStore recognition (signage)
- Media recognition (Facebook, press releases, etc.)

To obtain additional information or clarification on any aspect of the process, please feel free to contact:

• By Email: <u>construction@habitatstcharles.org</u>

HFHSCC encourages small and/or minority owned and operated companies to submit proposals.



## SUBMISSION DETAILS

Please submit bids to the offices of HFHSCC as soon as possible. We expect to pour foundations in mid May. Bids may be delivered by email, fax, mail or in person to:

Email: <a href="mailto:construction@habitatstcharles.org">construction@habitatstcharles.org</a>

Fax: 636-387-0447

Mail: Habitat for Humanity of St. Charles County 2041 Trade Center Drive St. Peters, MO 63376

#### **REQUIREMENTS:**

All bids should be calculated per the plans published at <u>www.habitatstcharles.org/submit-a-bid/</u>. The plans for both projects are identical. Bids must include separate amounts for optional items needed for the basement level bathroom and bedroom.

A completed and signed General Bid Form should be returned, along with your itemized bid in the format typically used by your company.

#### QUESTIONS:

All questions or clarifications regarding plan details or requirements should be directed to: Tony Bradbury, Director of Construction for HFHSCC. tony@habitatstcharles.org 636-288-2138

#### **TERMS & CONDITIONS**

- 1. HFHSCC reserves the right to reject any or all bids.
- 2. Bids must be valid for 30 days after submission.
- BILLING: Invoices will be accepted for payment by email (<u>construction@habitatstcharles.org</u>) fax (636-387-0447) or mail.
- 4. BILLING TERMS: Invoices must reflect a minimum of 30-day net payment terms.
- 5. PAYMENTS: Contractors and Suppliers must provide fully executed releases of liens (in a format provided by HFHSCC), partial or full, for the specific work or materials being billed for. Contractors that provide both material and labor will be subject to 10% retention of payment held until such time as material waivers from contractor's supplier(s) are provided to HFHSCC.



### **PROJECT: 5 Eastview Drive**

Please complete, <u>sign</u>, and <u>return all pages</u> of the General Bid Form along with your company's itemized proposal to:

p. op obai to:	
Email:	construction@habitatstcharles.org
Fax:	636-387-0447
Mail/In person:	2041 Trade Center Drive
	St. Peters, MO 63376

Each bid should be calculated using the project drawings titled "5 Eastview Drive" as published at <u>www.habitatstcharles.org</u> along with the specific requirements noted below for each category. Please indicate the price PER UNIT in the bid amount boxes below.

Please Enter Your Company's Name >>>		
CONCRETE / FOUNDAT	ION	BID AMOUNT: \$
	Per project drawings	
	Do NOT include nailers	
CONCRETE / FLATWOR	К	BID AMOUNT: \$
	Provide square foot price for gra	ading, cut and pouring of walks & driveways.
	Do NOT include rock (to be provided by HFHSCC)	
ELECTRICAL		BID AMOUNT: \$
	Meter base for underground service	
	200 amp service (HFHSCC to supply panel & breakers)	
	Switched outlet for disposal (do not include disposal hook up)	
	Outlet for dishwasher (do not include dishwasher hook up)	
	Bedrooms: Brace & wire for fans (do not include installing fans in bid); install light fixtures only (light fixtures to be supplied by HFHSCC)	
	Family Room: Brace & wire for fan (do not include installing fans in bid); install light fixtures only (light fixtures to be supplied by HFHSCC)	
	Dining: Brace & wire for fan (do not include installing fans in bid); install light fixtures only (light fixtures to be supplied by HFHSCC)	





of St. Charle		
	Wiring and outlet for electric range	
	Wiring and outlet for hood in cabinet above range	
	Wiring and outlet for electric dryer	
	Wiring for gas furnace	
	Wiring for electric water heater	
	INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM	
HVAC	BID AMOUNT: \$	
	Gas high efficiency furnace	
	16 SEER air conditioner (or equivalent)	
	Insulated duct work for supply & return air	
	Programmable thermostat	
	Dryer vent from laundry room to wall vent	
	Registers & cold air covers to be supplied and installed by HFHSCC	
	INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM	
PLUMBING	BID AMOUNT: \$	
1	60" acrylic / fiberglass white tub / shower units	
1	1.6 Mansfield toilets with elongated bowl & seats	
1	50 gallon electric water heater with expansion tank – high efficiency	
1	Frost proof hose bib	
	Washer and dryer hookup	
1	Kitchen faucet – chrome Moen lever handle w/ side sprayer	
1	Lavatory faucet – chrome Moen	
1	Tub/shower trim – chrome Moen	
	PVC drain lines	
	PEX water lines	
	Sinks to be supplied & installed by HFHSCC	
	Do not include dishwasher hook up or garbage disposal	
	Drain and water connections to be installed inside the foundation.	
	INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM	
STEEL	BID AMOUNT: \$	
	Per project drawings	



٦



ſ

DRYWALL MATERIALS 40 Sheets 54 Sheets 9 Sheets 8 Sheets 30 Lb 200 Lb		vall	
54 Sheets 9 Sheets 8 Sheets 30 Lb	4' x 12' ½" regular gypsum dryv 4' x 8' ½" regular gypsum drywa 4' x 10' ½" water/mold resistan	vall	
9 Sheets 8 Sheets 30 Lb	4' x 8' ½" regular gypsum drywa 4' x 10' ½" water/mold resistan		
8 Sheets 30 Lb	4' x 10' 1/2" water/mold resistan		
30 Lb		4' x 8' 1/2" regular gypsum drywall	
	1 ¼" coarse drywall screws	4' x 10' ½" water/mold resistant drywall	
200 Lb		1 ¼" coarse drywall screws	
	All purpose mud		
35 Gallons	Lite mud		
2500 LF	Joint tape		
DRYWALL TAPING		BID AMOUNT: \$	
	Finish tape all rooms		
	Finish tape closets		
	Fire tape garage		
	Drywall mud and tape to be supplied by HFHSCC		
	INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM		
GUTTERS & DOWNSPOUTS BID AMOUNT: \$			
		BID AMOUNT: \$	
	White aluminum	BID AMOUNT: \$	
	Τ	BID AMOUNT: \$	
INSULATION	White aluminum	BID AMOUNT: \$ BID AMOUNT: \$	
INSULATION	White aluminum		
INSULATION	White aluminum		
INSULATION	White aluminum Wall Insulation – Material Only		
INSULATION 50	White aluminum Wall Insulation – Material Only		
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls		
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls	BID AMOUNT: \$	
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide	BID AMOUNT: \$	
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide Attic Insulation – Labor & Materia	BID AMOUNT: \$	
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide Attic Insulation – Labor & Materia R-49 blown insulation	BID AMOUNT: \$	
50	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide Attic Insulation – Labor & Materia R-49 blown insulation	BID AMOUNT: \$	
	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide Attic Insulation – Labor & Materia R-49 blown insulation INCLUDE SEPARATE PRICES FOR	BID AMOUNT: \$	
50	White aluminum Wall Insulation – Material Only R-19 batts in all exterior walls Cardboard baffles 22 ½" wide Attic Insulation – Labor & Materia R-49 blown insulation INCLUDE SEPARATE PRICES FOR	BID AMOUNT: \$ als coptional basement bathroom and bedroom	
DRYWALL TAPING	Finish tape all rooms Finish tape closets Fire tape garage Drywall mud and tape to be sup	oplied by HFHSCC	





BID AMOUNT: \$         Interior Doors:         Pre-hung         6 Panel, primed, wood grain         Hollow core         Standard hinges         2 ¼" primed casing         Trim:         3 ¼" primed, finger joint, colonial base         2 ¼" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM	of St. Cildries	county	
Pre-hung         6 Panel, primed, wood grain         Hollow core         Standard hinges         2 ¼" primed casing         Trim:         3 ¼" primed, finger joint, colonial base         2 ¼" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         Standard hinges         Front entry door:         6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Fire rated door per plans         Patio entry door:         Garage entry door:         Fire rated door per plans         Patio entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Double bore         Adjustable sill         Double bore         Adjustable sill         Double bore         Doub	MILLWORK	BID	AMOUNT: \$
6 Panel, primed, wood grain         Hollow core         Standard hinges         2 ½" primed casing         Trim:         3 ½" primed, finger joint, colonial base         2 ½" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         EXTERIOR DOORS         BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle	Interior Doors:		
Hollow core         Standard hinges         2 ½" primed casing         Trim:         3 ½" primed, finger joint, colonial base         2 ½" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         EXTERIOR DOORS         Front entry door:         Garage entry door:         Fire rated door per plans         Fire rated door per plans         Patio entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters		Pre-hung	
Standard hinges         2 %" primed casing         Trim:         3 %" primed, finger joint, colonial base         2 %" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         EXTERIOR DOORS         6 panel steel pre-hung door –no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Patio entry door:         Patio entry door:         Garage entry door:         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		6 Panel, primed, wood grain	
2 %" primed casing         Trim:         3 %" primed, finger joint, colonial base         2 %" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Fire rated door per plans         Patio entry door:         Fire rated door per plans         Patio entry door:         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         BID AMOUNT: \$         BID AMOUNT: \$		Hollow core	
Trim: 3 ¼" primed, finger joint, colonial base 2 ¼" primed casing for all exterior doors and sill skirts Primed 1" x 8" finger jointed for window sills INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM EXTERIOR DOORS BID AMOUNT: \$ Front entry door: 6 panel steel pre-hung door -no glass Double bore Adjustable sill Standard hinges 7 9/16" jamb Garage entry door: Fire rated door per plans Patio entry door: Fire rated door per plans Patio entry door: Fire rated door per plans Patio entry door: Double bore Adjustable sill Standard hinges 7 9/16" jamb Double bore Adjustable sill Standard hinges 7 9/16" jamb Do NOT include exterior shutters GARAGE DOOR Uninsulated door with keyed lock handle		Standard hinges	
3 %" primed, finger joint, colonial base         2 %" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR       Uninsulated door with keyed lock handle		2 ¼" primed casing	
2 %" primed casing for all exterior doors and sill skirts         Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR       BID AMOUNT: \$         BID AMOUNT: \$	Trim:	:	
Primed 1" x 8" finger jointed for window sills         INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM         BID AMOUNT: \$         BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage Entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         BID AMOUNT: \$         BID AMOUNT: \$		3 ¼" primed, finger joint, colonial base	2
INCLUDE SEPARATE PRICES FOR OPTIONAL BASEMENT BATHROOM AND BEDROOM EXTERIOR DOORS Front entry door: 6 panel steel pre-hung door – no glass Double bore Adjustable sill Standard hinges 7 9/16" jamb Garage entry door: Fire rated door per plans Patio entry door: Fill light steel pre-hung door Double bore Adjustable sill Standard hinges 7 9/16" jamb Garage entry door: Double bore Adjustable sill Standard hinges 7 9/16" jamb BID AMOUNT: \$		2 ¼" primed casing for all exterior doc	ors and sill skirts
BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door –no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Standard hinges         7 9/16" jamb         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		Primed 1" x 8" finger jointed for wind	low sills
BID AMOUNT: \$         Front entry door:         6 panel steel pre-hung door –no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Standard hinges         7 9/16" jamb         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle			
Front entry door:         Front entry door:         0uble bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Oboble bore         Adjustable sill         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Ob NOT include exterior shutters         GARAGE DOOR         BID AMOUNT: \$         Uninsulated door with keyed lock handle		INCLUDE SEPARATE PRICES FOR OPT	IONAL BASEMENT BATHROOM AND BEDROOM
6 panel steel pre-hung door -no glass         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Double bore         BDAMOUNT: \$         BID AMOUNT: \$	EXTERIOR DOORS	BID	AMOUNT: \$
Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR       BID AMOUNT: \$         Uninsulated door with keyed lock handle	Front entry door:		
Adjustable sill         Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		6 panel steel pre-hung door –no glas	S
Standard hinges         7 9/16" jamb         Garage entry door:         Fire rated door per plans         Patio entry door:         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Oo NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		Double bore	
Garage entry door:       Fire rated door per plans         Patio entry door:       Fill light steel pre-hung door         Patio entry door:       Full light steel pre-hung door         Double bore       Adjustable sill         Standard hinges       7 9/16" jamb         Oo NOT include exterior shutters       Do NOT include exterior shutters         GARAGE DOOR       BID AMOUNT: \$         Uninsulated door with keyed lock handle       BID AMOUNT: \$		Adjustable sill	
Garage entry door:       Fire rated door per plans         Patio entry door:       Full light steel pre-hung door         Double bore       Double bore         Adjustable sill       Standard hinges         7 9/16" jamb       Do NOT include exterior shutters         GARAGE DOOR       Uninsulated door with keyed lock handle		Standard hinges	
Fire rated door per plans         Patio entry door         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		7 9/16" jamb	
Fire rated door per plans         Patio entry door         Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle	Garage entry door:		
Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle		Fire rated door per plans	
Full light steel pre-hung door         Double bore         Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle	Patio entry door:		
Adjustable sill         Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         Uninsulated door with keyed lock handle	· · ·	Full light steel pre-hung door	
Standard hinges         7 9/16" jamb         Do NOT include exterior shutters         GARAGE DOOR         BID AMOUNT: \$         Uninsulated door with keyed lock handle		Double bore	
7 9/16" jamb       Do NOT include exterior shutters       GARAGE DOOR       BID AMOUNT: \$       Uninsulated door with keyed lock handle			
GARAGE DOOR BID AMOUNT: \$ Uninsulated door with keyed lock handle			
GARAGE DOOR BID AMOUNT: \$ Uninsulated door with keyed lock handle			
GARAGE DOOR BID AMOUNT: \$ Uninsulated door with keyed lock handle			
BID AMOUNT: \$ Uninsulated door with keyed lock handle		Do NOT include exterior shutters	
	GARAGE DOOR	BID	AMOUNT: \$
Do not include opener			
		Do not include opener	





SIDING		BID AMOUNT:	\$
	Per project drawings		
TRUSSES		BID AMOUNT:	\$
	Per project drawings		
WINDOWS		BID AMOUNT:	\$
	White vinyl, double hung		
	Low E glass		
	Rated for climate zone 4		
	U-factor of 0.32 or better		
	Include screen for windows		
	Include grids for front window o	only	





	of St. Charles	county	
YES	NO	Contractor/Supplier agrees to payment terms, without discounts, of no less than 30 days.	
YES	NO	Contractor/Supplier agrees to discounted payment terms of% if paid within days.	
YES	NO	Contractor/Supplier agrees to furnish a current Certificate of Insurance.	
YES	NO	Contractor/Supplier agrees to provide a W9.	
YES	NO	Contractor/Supplier will require a FORM 5060 Project Exemption Certificate.	
YES	NO	Contractor/Supplier agrees to provide lien waivers (and materials waivers when applicable).	
YES	NO	HFHSCC's Construction Manager will not accept documents in the field. Contractor/Supplieragrees to forward all documents (invoices, lien waivers, etc.) as follows:Email:construction@habitatstcharles.orgFax:636-387-0447Mail:2041 Trade Center Drive St. Peters, MO 63376	
Bid Submit	ted By:		
Date:			
Email Addr	ess:		
Phone Nun	nber:		